

Page 1/5

SAFETY DATA SHEET

According to Safe Work Australia

Date: 01.01.2017

1. IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: Rejuvenator

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: For prevention of mould and bacteria in wet refrigerated areas.

Details of Manufacturer or Importer: Bracton Industries (NSW) Pty Ltd 50 Chard Rd Brookvale NSW 2100

Phone Number: 02 9938 1800

Emergency telephone number: National Poison Information Centre: 13 11 26

2. HAZARDS IDENTIFICATION

Hazardous Nature:

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria. Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

The product is not classified according to the Globally Harmonised System (GHS).

Signal Word Void

Hazard Statements Void

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

8012-95-1 Paraffin oils

<40%

4. FIRST AID MEASURES

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention.

Symptoms Caused by Exposure:

Inhalation: Inhalation of aerosols may cause respiratory irritation.

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

SAFETY DATA SHEET According to Safe Work Australia

Date: 01.01.2017

Product Name: Rejuvenator

(Contd. of page 1)

Page 2/5

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Foam or dry agent.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and water vapour. Combustible Liquid Class 1.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Wash spill area with water and detergent.

7. HANDLING AND STORAGE

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from direct sunlight and prolonged exposure to air. Protect containers from physical damage. Keep away from strong oxidising agents.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards:

8012-95-1 Paraffin oils

WES TWA: 5 mg/m³

Engineering Controls:

Maintain air concentration below occupational exposure standards, providing adequate ventilation.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Rubber or plastic gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and

SAFETY DATA SHEET According to Safe Work Australia

Product Name: Rejuvenator

(Contd. of page 2)

Date: 01.01.2017

permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance: | |
|--|--|
| Form: | Oily liquid |
| Colour: | Pale yellow |
| Odour: | Aromatic odour of natural oils. |
| Odour Threshold: | No information available |
| pH-Value: | No information available |
| Melting point/Melting range: | No information available |
| Initial Boiling Point/Boiling Range: | No information available |
| Flash Point: | >110 °C |
| Flammability: | Combustible Liquid Class 1 |
| Auto-ignition Temperature: | No information available |
| Decomposition Temperature: | No information available |
| Explosion Limits: | |
| Lower: | No information available |
| Upper: | No information available |
| Vapour Pressure: | No information available |
| Density at 20 °C: | ~0.9 g/cm³ |
| Relative Density: | No information available |
| Vapour Density: | No information available |
| Evaporation Rate: | No information available |
| Solubility in Water: | Immiscible with water. |
| Solubility in Solvents: | Soluble in chloroform, diethyl ether, hydrocarbons and petroleum |
| | spirit. |
| Partition Coefficient (n-octanol/water): | No information available |
| Viscosity: | No information available |
| % Volatiles by Volume: | ~10 % |
| VOC: | ~10 % |
| | |

10. STABILITY AND REACTIVITY

Possibility of Hazardous Reactions:

Hazardous polymerisation will not occur.

Contact with strong oxidising agents may cause fire.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Direct sunlight and prolonged exposure to air.

Incompatible Materials: Oxidising agents.

Hazardous Decomposition Products: Oxides of carbon and water vapour.

Page 3/5

Page 4/5

SAFETY DATA SHEET According to Safe Work Australia

Product Name: Rejuvenator

Date: 01.01.2017

11. TOXICOLOGICAL INFORMATION

Toxicity:

LD₅₀/LC₅₀ Values Relevant for Classification:

8012-95-1 Paraffin oils

Oral LD₅₀ 22000 mg/kg (mouse)

Acute Health Effects

Inhalation: Inhalation of aerosols may cause respiratory irritation.

Skin: May cause skin irritation. Eye: May cause eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects:

Repeated or prolonged skin exposure may cause de-fatting of the skin, leading to skin dryness and dermatitis. chronic exposure to aerosols may cause respiratory irritation and aspiration pneumonia.

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information: No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity: No further relevant information available.

Aquatic toxicity: No further relevant information available.

Persistence and Degradability: No further relevant information available.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: This product is readily transported by water. Other adverse effects: No further relevant information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

(Contd. of page 3)

Page 5/5

SAFETY DATA SHEET

According to Safe Work Australia

Date: 01.01.2017

Product Name: Rejuvenator

(Contd. of page 4)

14. TRANSPORT INFORMATION

UN Number Not regulated
Proper Shipping Name Not regulated

Dangerous Goods Class Not regulated

Packing Group: Not regulated

15. REGULATORY INFORMATION

Australian Inventory of Chemical Substances:

8012-95-1 Paraffin oils

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule: Poisons Schedule: 5

16.OTHER INFORMATION

Date of Preparation or Last Revision: 01.01.2017

Prepared by: Bracton Industries (NSW) Pty Ltd / Michael Hunter

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds LC₅₀: Lethal concentration, 50 percent LD₅₀: Lethal dose, 50 percent IARC: International Agency for Research on Cancer STEL: Short Term Exposure Limit TWA: Time Weighted Average NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Disclaimer

This document has been compiled by the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, or supplier. While Bracton has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Bracton accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.



Rejuvenator

Kill odours, mould and mildew behind the bar and in the cellar. Proven to reduce barflies.



SAT

[End of SDS]

Product Label

This is a BractonSafe initiative to supply the label of the product that only this SDS relates to. Ensure this label matches the product name in the product identifier. OW IT WORKS Rejuvenator has been specifically formulated using natural oils hich have microbial properties, giving Rejuvenator the ability to absorb odours nd to kill odour causing bacteria & fungus (such as yeast, mould & mildew). This rocess hygienically interrupts the breeding cycle of barflies, thus actively reducing ar flies while providing protection for up to two months against future bacteria nd fungus growth.

WHERE TO USE Under bar counters, heat exchangers, beer pythons and other areas where mould occurs (excluding those listed below).

WHERE NOT TO USE Avoid spraying on floors, as floors will become slippery. Avoi praying on equipment that comes into direct contact with food (ie. beer taps / equipment).

DIRECTIONS - MONTHLY

→ Clean and dry surface with Bracton Spray Away.
→ Spray and wipe with a clean cloth to leave an even coat, wipe and excess away.

RST AID: SWALLOWED Do not induce vomiting, give glass of water. SKIN: Remove contaminated clothing and ash skin thoroughly. EYES: Hold eyes open, flood with water for at least 15 minutes and seek medical advice. HALED: Remove from exposure.

on shall in no event be lable for, and Customer hereby agrees to indemnify Bracton against all claims related ecial, direct, indirect, consequential, or any damages arising out of or related to the sale, use, or inability to ie product.

BRACTON INDUSTRIES INSWI PTY LTD 50 Chard Rd Brookvale, NSW 2100 Australia PH0NE +61 2 9938 1800 FAX +61 2 9905 0979 WEB www.bracton.com sales@bracton.com